



**PLAN VIEW**



**HEADER BOARD SPLICE**

- ① 3 INCH THICK, MAXIMUM 1/2 INCH, MEDIUM GRADING AR4000 ASPHALT CONCRETE.
- ② 2" x 4" CONSTRUCTION GRADE REDWOOD.
- ③ 2" x 4" x 18" REDWOOD STAKE.
- ④ 6" OF PROCESSED SUBGRADE, PROCESSED TO 95% RELATIVE COMPACTION.
- ⑤ 1" x 4" x 24" DOUGLAS FIR.
- ⑥ 20 PENNY NAIL, GALVANIZED.

**THE CITY OF WEST SACRAMENTO – STANDARD DETAIL**

APPROVED BY:  CITY ENGINEER	C-38733 P.E. NO.	3/31/05 DATE
REVISION:		
REVISION:		
REVISION:		
REVISION:		

TITLE:  
**ASPHALT CONCRETE  
PATH**

**STANDARD  
DETAIL # 213**

