

Community Development Department Building Unit



www.cityofwestsacramento.org

1110 West Capitol Avenue
West Sacramento, CA 95691
Ph: (916) 617-4683

STATEMENT OF SPECIAL INSPECTION

Site Address:	Permit Number:
Owner: Address: City, State, Zip: Phone:	Contractor: Address: City, State, Zip: Phone:
Applicant: Address: City, State, Zip: Phone:	Engineer/Architect: Address: City, State, Zip: Phone:
PROJECT DESCRIPTION:	

This "STATEMENT OF SPECIAL INSPECTIONS" is submitted in fulfillment of the requirements of CBC Sections 1704 and 1705. This form is structured after and used by permission from the [Structural Engineer Association of Northern California's](#) (SEAONC) mode statement of Special Inspections. Also, included with this form is the following:

- "LIST OF SPECIAL INSPECTION AGENCIES (page 2). A list of testing agencies and other special inspectors that will be retained to conduct the tests and inspections for this project

- "SCHEDULE OF SPECIAL INSPECTION" (page 3 – 11). The Schedule of Special Inspections summarizes the Special Inspections and tests required. Special Inspectors will refer to the approved plans and specifications for detailed special inspection requirements. Any additional tests and inspections required by the approved plans and specifications shall also be performed. Special Inspections and Testing will be performed in accordance with the approved plans and specifications, this statement and CBC Sections 1704, 1705, 1706, 1707, and 1708. Interim reports will be submitted to the Building Official or designee and the Registered Design Professional in Responsible Charge in accordance with the CBC.

A Final Report of Special Inspections documenting required Special Inspections, testing and correction of any discrepancies noted in the inspections shall be submitted prior to issuance of a Certificate of Use and Occupancy. The Final Report will document:

- Required special inspections.
- Correction of discrepancies noted in inspections

The Owner recognizes his or her obligation to ensure that the construction complies with the approved permit documents and to implement this program of special inspections. In partial fulfillment of these obligations, the Owner will retain and directly pay for the Special Inspections as required in CBC Chapter 17.

This plan has been developed with the understanding that the Building Official or designee will:

- Review and approve the qualifications of the Special Inspectors who will perform the inspections.
- Monitor special inspection activities on the job site to assure that the Special Inspectors are qualified and are performing their duties as called for in this Statement of Special Inspection.
- Review submitted inspection reports.
- Perform inspections as required by the local building code.

I have read and agree to comply with the terms and conditions of this statement

Prepared By: Project <input type="checkbox"/> Engineer <input type="checkbox"/> Architect Registered Design Professional in Charge	Signature	Lic. #	Date:
Owner Authorization:	Signature		Date:
Contractor:	Signature	Lic. #	
Inspection Agency:	Signature	Lic. #	Date:
Building Official:	Signature		Date:

LIST OF SPECIAL INSPECTION AGENCIES

Approval Of Special Inspectors:

Each special inspection agency, testing facility, and special inspector shall be recognized by the Building Official or designee prior to performing any duties. Special inspectors shall carry approved identification when performing the functions of a special inspector. Identification cards shall follow the criteria set by the [California Council of Testing and Inspection Agencies](#). No personnel changes shall be made without first obtaining the approval of the Building Official or designee. Any unauthorized personnel changes may result in a “Stop Work Order” and possible permit revocation.

The following are the testing and special inspection agencies that will be retained to conduct tests and inspection on this project:

EXPERTISE	FIRM INSPECTION INFORMATION
1. Special Inspection (except for geotechnical)	Name: Address: City, State, Zip: Phone: Email:
2. Material Testing	Name: Address: City, State, Zip: Phone: Email:
3. Geotechnical Inspections	Name: Address: City, State, Zip: Phone: Email:
4. Other:	Name: Address: City, State, Zip: Phone: Email:

SEISMIC REQUIREMENTS (CBC Chapter 17)

Description of seismic-force-resisting system and designated seismic systems subject to special inspections:

The extent of the seismic-force-resisting system is defined in more detail in the construction documents.

WIND REQUIREMENTS (CBC Chapter 17)

Description of main wind-force-resisting system and designated wind resisting components subject to special inspections:

The extent of the main wind-force-resisting system and wind resisting components is defined in more detail in the construction documents.

SCHEDULE OF SPECIAL INSPECTION

Notation Used in Table:

Column headers:

C Indicates continuous inspection is required.

P Indicates periodic inspections are required. The notes and/or contract documents should clarify.

Box entries:

X Is placed in the appropriate column to denote either "C" continuous or "P" periodic inspections.

--- Denotes an activity that is either a one-time activity or one whose frequency is defined in some other manner.

Additional detail regarding inspections and tests are provided in the project specifications or notes on the drawings.

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
INSPECTION OF FABRICATORS				
1. <input type="checkbox"/> Inspect fabricator's fabrication and quality control procedures.	---	---		
INSPECTION OF STEEL				
1. Material verification of high-strength bolts, nuts and washers.				
<input type="checkbox"/> Identification marking to conform to ASTM std specified in the approved construction documents.	---	X	AISC 360, Section A3.3 and applicable ASTM material standards	
<input type="checkbox"/> Inspect fabricator's fabrication and quality control procedures.	---	X	---	---
2. Inspection of high-strength bolting:				
<input type="checkbox"/> Snug-tight joints.	---	X	AISC 360, Section M2.5	
<input type="checkbox"/> Pretensioned and slip-critical joints using turn-of-nut with matchmarking, twist-off bolt or direct tension indicator methods of installation.	---	X		
<input type="checkbox"/> Pretensioned and slip-critical joints using turn-of-nut without matchmarking or calibrated wrench methods of installation.	X	---		
3. Material verification of structural steel and cold-formed steel deck.				
<input type="checkbox"/> For structural steel, identification markings to conform to AISC 360.	---	X	AISC 360, Section M2.5	
<input type="checkbox"/> For other steel, identification markings to conform to ASTM standards specified in the approved construction documents.	---	X	Applicable ASTM material standards	
<input type="checkbox"/> Manufacturer's certified test reports.	---	X		
4. Material verification of weld filler materials:				
<input type="checkbox"/> Identification marking to conform to AWS specification in the approved construction documents.	---	X	AISC 360, Section A3.5 and applicable AWS A5 documents	---
<input type="checkbox"/> Manufacturer's certificate of compliance required.	---	X	---	---

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
5. Inspection of welding:				
a. Structural steel and cold-formed steel deck:				
<input type="checkbox"/> Complete and partial joint penetration groove welds.	X	---	AWS D1.1	
<input type="checkbox"/> Multipass fillet welds.	X	---		
<input type="checkbox"/> Single-pass fillet welds > 5/16"	X	---		
<input type="checkbox"/> Plug and slot welds.	X	---		
<input type="checkbox"/> Single-pass fillet welds <= 5/16"	---	X		
<input type="checkbox"/> Floor and roof deck welds.	---	X	AWS D1.3	
b. Reinforcing steel:				
<input type="checkbox"/> Verification of weldability of reinforcing steel other than ASTM A 706.	---	X	AWS D1.4 ACI 318: Section 3.5.2	---
<input type="checkbox"/> Reinforcing steel resisting flexural and axial forces in intermediate and special moment frames, and boundary elements of special structural walls of concrete and shear reinforcement.	X	---		
<input type="checkbox"/> Shear reinforcement.	X	---		
<input type="checkbox"/> Other reinforcing steel.	---	X		
6. Inspection of steel frame joints details for compliance:				
<input type="checkbox"/> Details such as bracing and stiffening.	---	X	---	
<input type="checkbox"/> Member locations.	---	X		
<input type="checkbox"/> Application of joint details at each connection.	---	X		
INSPECTION OF WELDING				
1. <input type="checkbox"/> Welded studs when used for structural diaphragms.	---	X	---	
2. <input type="checkbox"/> Welding of cold-formed steel framing members.	---	X		
3. <input type="checkbox"/> Welding of stairs and railing systems.	---	X		

INSPECTION OF CONCRETE				
1. <input type="checkbox"/> Inspection of reinforcing steel, including prestressing tendons and placement.	---	X	ACI 318: 3.5, 7.1-7.7	
2. <input type="checkbox"/> Inspection of reinforcing steel welding in accordance with CBC Ch. 17	---	---	AWS D1.4 ACI 318: 3.5.2	---
3. <input type="checkbox"/> Inspection of bolts to be installed in concrete prior to and during placement of concrete where allowable loads have been increased or where strength design is used.	X	---	ACI 318: 8.1.3, 21.2.8	
4. <input type="checkbox"/> Inspection of anchors installed in hardened concrete.	---	X	ACI 318:	
5. <input type="checkbox"/> Verifying use of required design mix.	---	X	ACI 318:	

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
6. <input type="checkbox"/> At time fresh concrete is sampled to fabricate specimens for strength tests, perform slump and air content tests and determine the temperature of the concrete.	X	---	ASTM C 172 ASTM C 31 ACI 318: 5.6, 5.8	
7. <input type="checkbox"/> Inspection of concrete and shotcrete placement for proper application techniques.	X	---	ACI 318: 5.9, 5.10	
8. <input type="checkbox"/> Inspection for maintenance of specified curing temperature and techniques.	---	X	ACI 318: 5.11-5.13	
9. Inspection of prestressed concrete:				
<input type="checkbox"/> Application of prestressing forces.	X	---	ACI 318: 18.20	---
<input type="checkbox"/> Grouting of bonded prestressing tendons in the seismic force-resisting system.	X	---	ACI 318: 18.18.4	
10. <input checked="" type="checkbox"/> Erection of precast concrete members.	---	X	ACI 318: Ch. 16	---
11. <input type="checkbox"/> Verification of in-situ concrete strength, prior to stressing of tendons in posttensioned concrete and prior to removal of shores and forms from beams and structural slabs.	---	X	ACI 318: 6.2	---
12. <input type="checkbox"/> Inspect formwork for shape, location, and dimensions of the concrete member being formed.	---	X	ACI 318: 6.6.1	---
13. <input type="checkbox"/> Bolts Installed in Existing Masonry or Concrete				
<input type="checkbox"/> Direct tension testing of existing anchors.	---	X	See ICC ES Reports form special inspection requirements for proprietary products	
<input type="checkbox"/> Direct tension testing of new bolts.	---	X		
<input type="checkbox"/> Torque testing of new bolts.	---	X		
<input type="checkbox"/> Prequalification test for bolts and other types of anchors.	---	X		
14. <input type="checkbox"/> Other:				

VERIFICATION AND INSPECTION	C	P	REFERENCE FOR CRITERIA		
			CBC SECTION	TMS 402IACI	TMS 402IACI
INSPECTION OF LEVEL 1 MASONRY					
1. <input type="checkbox"/> Compliance with required inspection provisions of the construction documents and the approved submittals shall be verified.	---	X	---	---	Art. 1.5
2. <input type="checkbox"/> Verification of f'_m and f'_{AAC} prior to construction except where specifically exempted by this code.	---	X	---	---	Art. 1.4B
3. <input type="checkbox"/> Verification of slump flow and VSI as delivered to the site for self-consolidating grout.	X	---	---	---	Art. 1.5B.1.b.3
4. As masonry construction begins, the following shall be verified to ensure compliance:					
<input type="checkbox"/> Proportions of site-prepared mortar.	---	X	---	---	Art. 2.6A
<input type="checkbox"/> Construction of mortar joints.	---	X	---	---	Art.3.3B
<input type="checkbox"/> Location of reinforcement, connectors, prestressing tendons, and anchorages.	---	X	---	---	Art. 3.4, 3.6A
<input type="checkbox"/> Prestressing technique.	---	X	---	---	Art. 3.6B
<input type="checkbox"/> Grade and size of prestressing tendons and anchorages.	---	X	---	---	Art. 2.4B, 2.4H
5. During construction the inspection program shall verify:					
<input type="checkbox"/> Size and location of structural elements.	---	X	---	---	Art. 3.3F
<input type="checkbox"/> Type, size, and location of anchors, including other details of anchorage of masonry to structural members, frames or other construction.	---	X	---	Sec. 1.2.2(e), 1.16.1	---
<input type="checkbox"/> Specified size, grade, and type of reinforcement, anchor bolts, prestressing tendons and anchorages.	---	X	---	Sec. 1.15	Art. 2.4, 3.4
<input type="checkbox"/> Welding of reinforcing bars.	X	---	---	---	---
<input type="checkbox"/> Preparation, construction and protection of masonry during cold weather (temperature below 40 degrees F) or hot weather (temperature above 90 degrees F).	---	X	---	---	Art. 1.8C, 1.8D
<input type="checkbox"/> Application and measurement of prestressing force.	X	---	---	---	Art. 3.6B
6. Prior to grouting the following shall be verified to ensure compliance:					
<input type="checkbox"/> Grout space is clean.	---	X	---	---	Art. 3.2D
<input type="checkbox"/> Placement of reinforcement and connectors and prestressing tendons and anchorages.	---	X	---	Sec. 1.3	Art. 3.4
<input type="checkbox"/> Proportions of site-prepared grout and prestressing grout for bonded tendons.	---	X	---	---	Art. 2.6B
<input type="checkbox"/> Construction of mortar joints.	---	X	---	---	Art. 3.3B
7. Grout placement:					
<input type="checkbox"/> Grout placement shall be verified ensure compliance.	X	---	---	---	Art. 3.5
<input type="checkbox"/> Observe grouting of prestressing bonded tendons.	X	---	---	---	Art 3.6C

VERIFICATION AND INSPECTION	C	P	REFERENCE FOR CRITERIA		
			CBC SECTION	TMS 402IACI	TMS 402IAC
8. <input type="checkbox"/> Preparation of any required grout specimens, mortar specimens, and/or prisms shall be observed.	---	X		---	Art. 1.4
INSPECTION OF LEVEL 2 MASONRY					
1. <input type="checkbox"/> Compliance with required inspection provisions of the construction documents and the approved submittals.	---	X	---	---	Art. 1.5
2. <input type="checkbox"/> Verification of f'_m and f'_{AAC} prior to construction and for every 5,000 square feet during construction.	---	X	---	---	Art. 1.4B
3. <input type="checkbox"/> Verification of proportions of materials in premixed or preblended mortar and grout as delivered to the site.	---	X	---	---	Art. 1.5B
4. <input type="checkbox"/> Verification of slump flow and VSI as delivered to the site for self-consolidating grout.	X	---	---	---	Art. 1.5B.1.b.3
5. The following shall be verified to ensure compliance:					
<input type="checkbox"/> Proportions of site-prepared mortar, grout, and prestressing grout for bonded tendons.	---	X	---	---	Art. 2.6A
<input type="checkbox"/> Placement of masonry units and construction of mortar joints.	---	X	---	---	Art. 3.3B
<input type="checkbox"/> Placement of reinforcement, connectors and prestressing tendons and anchorages.	---	X	---	Sec. 1.15	Art. 3.4, 3.6A
<input type="checkbox"/> Grout space prior to grouting.	X	---	---	---	Art. 3.2D
<input type="checkbox"/> Placement of grout.	X	---	---	---	Art. 3.5
<input type="checkbox"/> Placement of prestressing grout.	X	---	---	---	Art. 3.6C
<input type="checkbox"/> Size and location of structural elements.	---	X	---	---	Art. 3.3F
<input type="checkbox"/> Type, size, and location of anchors, including other details of anchorage of masonry to structural members, frames and other construction.	X	---	---	Sec.1.2.2(e)	---
<input type="checkbox"/> Specified size, grade, and type of reinforcement, anchor bolts, prestressing tendons and anchorages.	---	X	---	Sec. 1.15	Art. 2.4, 3.4
<input type="checkbox"/> Welding of reinforcing bars.	X	---	---	Sec. 2.1.9.7.2, 3.3.3.4 (b)	---
<input type="checkbox"/> Preparation, construction, and protection of masonry during cold weather (temperature below 40 degrees F) or hot weather (temperature above 90 degrees F).	---	X		---	Art. 1.8C, 1.8D
<input type="checkbox"/> Application and measurement of prestressing force.	X	---	---	---	Art. 3.6B
6. <input type="checkbox"/> Preparation of any required grout specimens, mortar specimens, and/or prisms shall be observed.	X	---		---	Art. 1.4

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
INSPECTION OF WOOD				
1. <input type="checkbox"/> Inspect prefabricated wood structural elements and assemblies.	---	---	---	
2. <input type="checkbox"/> Inspect site built assemblies.	---	---		
3. Inspect high-load diaphragms:				
<input type="checkbox"/> Verify grade and thickness of sheathing.	---	---	---	
<input type="checkbox"/> Verify nominal size of framing members at adjoining panel edges.	---	---		
<input type="checkbox"/> Verify nail or staple diameter and length,	---	---		
<input type="checkbox"/> Verify number of fastener lines,	---	---		
<input type="checkbox"/> Verify spacing between fasteners in each line and at edge margins.	---	---		
4. <input type="checkbox"/> Metal-plate-connected wood trusses spanning 60 feet or greater: Verify temporary installation restraint/bracing and the permanent individual truss member bracing are installed in accordance with the approved truss submittal package.	---	X	---	
REQUIRED VERIFICATION AND INSPECTION OF SOIL				
1. <input type="checkbox"/> Verify materials below footings are adequate to achieve the desired bearing capacity.	---	X	---	
2. <input type="checkbox"/> Verify excavations are extended to proper depth and have reached proper material.	---	X		
3. <input type="checkbox"/> Perform classification and testing of compacted fill materials.	---	X		
4. <input type="checkbox"/> Verify use of proper materials, densities and lift thicknesses during placement and compaction of compacted fill.	X	---		
5. <input type="checkbox"/> Prior to placement of compacted fill, observe subgrade and verify that site has been prepared properly.	---	X		
REQUIRED VERIFICATION AND INSPECTION OF DEEP DRIVEN FOUNDATION ELEMENTS				
1. <input type="checkbox"/> Verify element materials, sizes and lengths comply with the requirements.	X	---	---	
2. <input type="checkbox"/> Determine capacities of test elements and conduct additional load tests, as required.	X	---		
3. <input type="checkbox"/> Observe driving operations and maintain complete and accurate records for each element.	X	---		
4. <input type="checkbox"/> Verify locations of piles and their plumbness, confirm type and size of hammer, record number of blows per foot of penetration, determine required penetrations to achieve design capacity, record tip and butt elevations and document any damage to foundation element.	X	---		
5. <input type="checkbox"/> For steel elements, perform additional inspections in accordance with CBC Ch. 17	---	---		
6. <input type="checkbox"/> For concrete elements and concrete filled elements, perform additional inspections in accordance with CBC Ch. 17	---	---		

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
7. <input type="checkbox"/> For specialty piles, perform additional inspections as determined by the registered design professional in responsible charge.	---	---	---	
REQUIRED VERIFICATION AND INSPECTION OF CAST-IN-PLACE DEEP FOUNDATION ELEMENTS				
1. <input type="checkbox"/> Observe drilling operations and maintain complete and accurate records for each element.	X	---	---	
2. <input type="checkbox"/> Verify placement locations and plumbness, confirm element diameters, bell diameters (if applicable), lengths, embedment into bedrock (if applicable), and adequate end-bearing strata capacity. Record concrete or grout volumes.	X	---		
3. <input type="checkbox"/> For concrete elements, perform additional inspections in accordance with CBC Ch. 17	---	---		
HELICAL PILE FOUNDATIONS				
1. <input type="checkbox"/> Record installation equipment used, pile dimensions, tip elevations, final depth, final installation torque.	X	---	---	
SPRAYED FIRE-RESISTANT MATERIALS				
Physical and visual tests				
1. Condition of substrates.				
<input type="checkbox"/> Inspect surface for accordance with the approved fire-resistance design and the approved manufacturer's written instructions.	---	---	---	
<input type="checkbox"/> Verify minimum ambient temperature before and after application.	---	X		
<input type="checkbox"/> Verify ventilation of area during and after application.	---	X		
2. <input type="checkbox"/> Measure average thickness per ASTM E 605.	---	---		
3. <input type="checkbox"/> Verify density of material for conformance with the approved fire-resistant design and ASTM E605.	---	---		
4. <input type="checkbox"/> Test cohesive/adhesive bond strength.	---	---		
5. <input type="checkbox"/> Condition of finished application.				
MISCELLANEOUS				
1. Mastic and Intumescent Fire-Resistant Coating.	---	---	---	
2. Exterior Insulation and Finish Systems (EIFS). Water-resistant barrier coating when installed over a sheathing substrate.	---	---	---	
3. Special Cases	---	---	---	
4. Smoke Control System	---	---	---	
5. Seismic Resistance				
<input type="checkbox"/> Suspended ceiling systems and their anchorage.	---	---	---	

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
6. Wind Resistance				
<input type="checkbox"/> Roof cladding and roof framing connections.	---	---	---	
<input type="checkbox"/> Wall connections to roof and floor diaphragms and framing.	---	---	---	
<input type="checkbox"/> Roof and floor diaphragm systems, including collectors, drag struts and boundary elements.	---	---	---	
<input type="checkbox"/> Vertical wind-force-resisting systems, including braced frames, moment frames, and shear walls.	---	---	---	
<input type="checkbox"/> Wind-force-resisting system connections to the foundation.	---	---	---	
<input type="checkbox"/> Fabrication and installation of systems or components required to meet the impact resistance.	---	---	---	
SPECIAL INSPECTION FOR WIND REQUIREMENTS				
1. Structural Wood				
<input type="checkbox"/> Inspect field gluing operations of elements of the main wind-force-resisting system.	X	---	---	
<input type="checkbox"/> Inspect nailing, bolting, anchoring, and other fastening of components within the main wind force-resisting system, including wood shear walls, wood diaphragms, drag struts, braces and hold-downs.	---	X		
2. Cold-Formed Steel Framing				
<input type="checkbox"/> Welding of elements of the main wind-force-resisting system.	---	X	---	
<input type="checkbox"/> Inspection of screw attachments, bolting, anchoring, and other fastening of components within the main wind-force-resisting system including shear walls, braces, diaphragms, collectors (drag struts) and hold-downs.	---	X		
3. Wind-resisting components				
<input type="checkbox"/> Roof cladding.	---	X	---	
<input type="checkbox"/> Wall cladding.	---	X		
SPECIAL INSPECTIONS FOR SEISMIC RESISTANCE				
1. <input type="checkbox"/> Special inspection for welding in accordance with the quality assurance plan requirements of AISC 341.				
2. Structural Wood				
<input type="checkbox"/> Inspect field gluing operations of elements of the seismic-force-resisting system.	X	---		
<input type="checkbox"/> Inspect nailing, bolting, anchoring, and other fastening of components within the seismic-force-resisting system, including wood shear walls, wood diaphragms, drag struts, braces, shear panels and hold-downs.	---	X		
3. Cold-Formed steel light-frame construction				
<input type="checkbox"/> Welding of elements of the seismic-force-resisting system.	---	X		

VERIFICATION AND INSPECTION	C	P	REFERENCED STANDARD	CBC REFERENCE
Inspection of screw attachments, bolting, anchoring, and other fastening of components within the seismic-force-resisting system including shear walls, braces, diaphragms, collectors (drag struts) and hold-downs.	---	X		
4. Storage racks and access floors				
Anchorage of storage racks 8 feet or greater in height and access floors.	---	X		
5. Architectural components				
Inspect erection and fastening of exterior cladding weighing more than 5 psf and higher than 30 feet above grade or walking surface.	---	X	---	
Inspect erection and fastening of veneer weighing more than 5 psf and higher than 30 feet above grade or walking surface.	---	X		
Inspect erection and fastening of all exterior non-bearing walls higher than 30 feet above grade or walking surface.	---	X		
Inspect erection and fastening of all interior non-bearing walls weighing more than 15 psf and higher than 30 feet above grade or walking surface.	---	X		
6. Mechanical and Electrical Components				
Inspect anchorage of electrical equipment for emergency or stand-by power systems.	---	X	---	
Inspect anchorage of non-emergency electrical equipment.	---	X		
Inspect installation of piping systems and associated mechanical units carrying flammable, combustible, or highly toxic contents.	---	X		
Inspect installation of HVAC ductwork that contains hazardous materials.	---	X		
Inspect installation of vibration isolation systems where required by CBC Ch. 17	---	X		
7. Verify that the equipment label and anchorage or mounting conforms to the certificate of compliance when mechanical and electrical equipment must be seismically qualified.	---	---	---	
8. Seismic isolation system: Inspection of isolation system per ASCE 7	---	X	---	
9. Obtain mill certificates for reinforcing steel, verify compliance with approved construction documents, and verify steel supplied corresponds to certificate.	---	---	---	
10. Structural Steel: Invoke the QAP Quality Assurance requirements in AISC 341.	---	---	---	
11. Obtain certificate that equipment has been seismically qualified.	---	---	---	
12. Obtain system tests as required by ASCE 7	---	---	---	

AGENCY NAME / HQ ADDRESS	1	2	3	4	5	6	7	8	9	10	11	12	13	14
A-Line Inspection Services 1105 Belmont Ave 3-2014 Long Beach CA 90804 Erwin Chow, Partner and Special Insp. Ph:(562)449-7491			X	X	X	X		X	X	X	X	X	X	
Ace Quality Control 1830 Vernon St., Suite 7 Roseville, CA 95691 Ph:(916)702-5096	X	X	X	X	X	X	X	X	X	X		X	X	(1-5) (7-8)
Neil O. Anderson and Associates 50 Goldenland Ct., Suite 100 (1-2014) Sacramento, CA 95834 Vanessa Perez, Marketing Mgr. Ph: (209)367-3701 Vanessa.perez@noanderson.com	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(2) (5)
Blackburn Consulting, Inc. 11521 Blocker Dr. Auburn, CA 95603 Tom Blackburn, Field Services Manager Ph: (530)887-1494 Fax: (530) 887-1495	X	X	X	X	X	X	X	X	X	X	X	X	X	(5)
Brown & Mills, Inc 3050 Fite Cr., Suite 101E Sacramento, CA 95827 Keith Brown, P.E. Ph: (916) 362-5541 Fax: (916) 362-3454	X	X	X	X	X	X		X	X	X				(2) (5)
BSK Associates Engineers & Laboratories 324 Earhart Way Livermore, CA 9455 Tim Rodriguez Construction Materials Group Manager Ph: (925) 315-3151 Fax: (925) 315-3152	X	X	X	X	X	X	X	X	X	X	X	X	X	(2)(3) (5)
Capitol Engineering Laboratories, Inc. 631 Commerce Dr., Suite 200 Roseville, CA 95678 Susan Vander Veen, CFO Ph: (916) 786-2488 Fax: (916) 786-9372			X	X	X	X	X	X	X	X	X		X	(2) (5)
Construction Testing Services 4400 Yankee Hill Road, Rocklin, CA 95677 Bradford Quon, P.E. Ph: (916) 419-4747 Fax: (916) 419-4774	X	X	X	X	X	X	X	X	X	X	X	X	X	(1)-(5) (7) (8)
Earthtec, Inc. 1830 Vernon St., Suite 7 (9-2012) Roseville, CA 95678 Ed Hendrick, P.E., Principal Ph: (916) 786-5262 Fax: (916) 786-5263	X	X	X								X			
Engeo, Inc. ENGEIO Incorporated (10/2012) 2213 Plaza Drive Rocklin, CA 95765 Ph(916) 786-8883 Fax(888) 279-2698	X	X	X	X	X	X	X	X	X	X	X	X	X	(5)
GeoTest 2132 116 th St. (11/21/13) West Allis WI 53227 Grerory J. Schmidt, President 414-321-8378		X	X	X	X				X		X			
Inspection Consultants, Inc. 11295 Sunrise Gold Cr., #E (3/2014) Rancho Cordova, CA 95742 John C. Langley, Sr. Project Manager Ph: (916) 321-5580 Fax: (916) 321-5590	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(1) (5)
Kleinfelder 3077 Fite Cr. 12/3/12 Sacramento, CA 95827-1815 Ted Oien, Manager Ph: (916) 366-1701 Fax: (916) 366-7013	X	X	X	X	X	X	X	X	X	X	X	X	X	(2) (5)

Korbmacher Engineering, Inc. 480 Preston Court, Ste B Livermore, CA 94551 Rick Schneider Ph: (925) 454-9033	X	X	X	X	X	X	X	X	X	X	X	X	X	(2) (3) (4) (5)
Krazan & Associates, Inc. 4320 Orange Grove. Ste E-F 11/30/12 Sacramento, CA 95841 Gregory J. Fernald, Operations Mgr Ph: (916) 564-2200 Fax: (916) 564-2222	X	X	X	X	X	X	X	X	X	X	X	X	X	(2) (5) (12)
Lancaster Burns Construction INC 8655 Washington Blvd 8/27/19 Roseville, CA 95678 916-624-8404 Fax: 916-624-6427						X		X						
MatriScope Engineering Laboratories, 601 Bercut Dr. (10/2012) Sacramento, CA 95811 Robert Tadlock, General Manager Ph: (916) 375-6700 Fax: (916) 375-6702	X	X	X ⁽⁴⁾	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(2) (5)
Mid Pacific Engineering, INC (11-2014) 840 Embarcadero Drive, Suite 20 West Sacramento, California 95605 Ph(916)-927-7000 Fax: 916-372-9900	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X		X	X	(1) (2) (3) (5) (8)
Moore Twining Laboratories, Inc. 5675 Power Inn Rd., Suite C 12/6/12 Sacramento, CA 95824 Ron Reilly, Northern CA Area Supervisor Ph: 559.268.7021 Fax : 559.268.7126	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	
MTI dba KC Engineering (5-2019) 865 Cotting Ln Ste A Vacaville CA 95688 David V. Cymanski 707-447-4025	X	X	X	X		X	X	X	X	X		X	X	(2) (4) (5)
Professional Service Industries INC 380 Tenant Ave., Ste. 3 Morgan Hill, CA 95037 (714)484-8600	X	X	X	X	X	X	X	X	X	X	X	X	X	(4)
RMA Group 3150 Fitzgerald Rd (9-2012) Rancho Cordova, CA 95742 Jim Bishop, No. CA Regional Manager Ph: (916) 631-7194 Fax: (916) 631-7256	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(1) (2) (3) (5) (8)
Raney Geotechnical, Inc. 3140 Beacon Blvd. West Sacramento, CA 95691 Bob McCormick, Field Services Manager Ph: (916) 371-0434 Fax: (916) 371-1809	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(2) (5)
Rockridge Geotechnical (8/2012) 4379 Piedmont Ave. Oakland, CA 94611 Ph(510) 420-5738 Fax:(510) 652-3096	X	X	X	X	X	X	X	X	X	X	X	X	X	
Signet Testing Labs, Inc. 3526 Breakwater Ct. Hayward, CA 94545 Greg Ruf Ph: (510) 880-8090 Fax: (510) 887-8484	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(2) (5)
Soilcrete Engineering & Testing Inc 3325 Longview Dr. (9/2012) Sacramento, California 95821 Ph: 916-801-4153 Fax(866-705-4778	X	X	X	X	X	X	X	X	X	X	X	X	X	
Salem Engineering Group 10/20/15 4729 West Jacquelyn Avenue Fresno, California 93722 559.271.9700 / 559.275.0827 fax	X	X		X		X		X	X	X	X			X
Treadwell & Rollo a Langan Co 9608 Kiefer Blvd., Suite 7 Sacramento, CA 95827 (916) 476-6790 (916) 476-6792 Fax	X	X	X	X	X	X	X	X	X	X	X	X	X	
Twining, Inc (8/2012)														

1572 Santa Ana Avenue Sacramento, California 95838 Ph: (916) 649-9000 Fax(916)921-8532	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Terracon (3/2013) 3140 Gold Camp Dr., Ste170 Rancho Cordova Ca ,95670 Ph: (913) 599-6886 Fax: (916-858-1579 Terracon.com	X	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	
Wallace Kuhl & Associates, Inc. 3050 Industrial Blvd. (10/2012) West Sacramento, CA 95691 David A. Redford, P.E., Principal Ph: (916)376-8866 Fax: (916) 372-2565	X	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	
Youngdahl Consulting Group, Inc. 1234 Glenhaven Ct.(9-2012) El Dorado Hills, CA 95762 Steve P. Marcki, Construction Manager Chris Cravens, Dispatch Ph: (916) 933-0633 Fax: (916) 933-6482	X	X	X	X	X	X	X	X	X ⁽⁴⁾	X	X	X	X	X	(2) (5)
Stevens Ferrone & Bailey 1600 Willow Pass Ct. (7/2019) Concord CA 94520 Ph: 925-888-1001 140 N Fourth St Salinas CA 93906 Ph: 831-757-2201 Jonathan Bailey, P.E.	X	X	X	X	X	X	X	X	X	X	X		X	X	(1) (2) (3) (5) (8)
Clark Pacific 40600 County Rd 18C Woodland Ca 95776 916.599.7072 cell			X	X	X	X	X	X	X	X				X	

Table Key:

- | | | |
|---|--|----------------------------------|
| 1 = Pilings, drilled piers, caissons | 6 = Reinforcing steel / welding | 11 = Insulating concrete |
| 2 = Soil / foundation testing, earthwork | 7 = Pre-stressing steel | 12 = Spray-applied fire proofing |
| 3 = Reinforced concrete (cast in place, pre-cast) | 8 = Structural steel welding | 13 = Post-tensioning |
| 4 = Reinforced concrete (pre-stressed) | 9 = Structural steel bolting (high strength) | 14 = See Footnotes |
| 5 = Pneumatically placed concrete (gunite) | 10 = Structural masonry | |

Footnotes:

- The firms listed in this document have submitted documentation to the Building Division acknowledging their expertise in the designated areas of Special Inspection and are approved by the City to perform such services.
- This list addresses only those inspections required by the California Building Code (CBC) Sect. 1701. Contact the firm for a complete listing of inspection services provided.
- This list identifies Special Inspection firms approved pursuant to the Building Safety & Inspection Special Inspection Policy.
- Where numbers in parenthesis appear on the table, check the following for the designation:

(1) Floor flatness testing	(5) Concrete expansion anchors and epoxy or chemical set anchor bolts in existing concrete
(2) Bolts installed in concrete and masonry	(6) Medical gas testing for health care facilities
(3) Bolts installed in concrete	(7) Reinforced gypsum concrete
(4) Including nondestructive testing	(8) Roller compacted concrete